



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	COREGA BIOFORMULA (MFC04838)
Registration number	-
Product registration number	5DDE-J0QF-P00F-3V0V (UFI)
Synonyms	MFC05313 * MFC04838 * COREGA BIO-ACTIVE OXYGEN * COREGA 3 MINUTES * COREGA BIO-ACTIVE OXYGEN 3 MINUTES * POLIDENT INTENSE FRESHNESS * POLIDENT SMOKER'S * POLIDENT DISINFECTANT ACTION * POLIDENT ANTIBACTERIAL CLEANER * SODIUM PERCARBONATE AND SODIUM BICARBONATE, FORMULATED PRODUCT
Issue date	06-June-2019
Version number	02
Revision date	28-June-2019
Supersedes date	06-June-2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Medical Device

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

Uses advised against No other uses are advised.

1.3. Details of the supplier of the safety data sheet

Company name	GlaxoSmithKline UK
Address:	980 Great West Road Brentford, Middlesex TW8 9GS UK
Telephone:	+44-20-8047-5000 (General Inquiries)
Email:	msds@gsk.com
Website:	www.gsk.com

EMERGENCY CONTACTS

Telephone:	VERISK 3E GLOBAL INCIDENT RESPONSE +(44) 20 35147487 or 0 800 680 0425 (In country) +(1) 760 476 3961 (International) 24/7; multi-language response
Contract Number:	334878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.

Hazard summary Causes serious eye irritation.
See section 11 of the SDS for additional information on health hazards.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	POTASSIUM CAROATE, SODIUM C12-18 ALKYL SULFATE
Hazard pictograms	



Signal word	Warning
Hazard statements	
H319	Causes serious eye irritation.
Precautionary statements	
Prevention	
P264	Wash hands thoroughly after handling.
Response	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
Storage	Not available.
Disposal	Not available.
Supplemental label information	82.43 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. EUH208 - Contains PEPPERMINT OIL, SUBTILISIN. May produce an allergic reaction.
2.3. Other hazards	Causes serious eye irritation. See section 11 of the SDS for additional information on health hazards.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
CITRIC ACID ANHYDROUS	20 - < 30	77-92-9 201-069-1	-	-	
Classification:	Eye Irrit. 2;H319				
POTASSIUM CAROATE	10 - < 20	70693-62-8 274-778-7	-	-	
Classification:	Acute Tox. 4;H302, Skin Corr. 1;H314, Skin Corr. 1A;H314, Eye Dam. 1;H318, STOT SE 3;H335, Aquatic Chronic 3;H412				
Sodium carbonate	5 - < 10	497-19-8 207-838-8	-	011-005-00-2	
Classification:	Eye Irrit. 2;H319				
SODIUM PERCARBONATE	5 - < 10	15630-89-4 239-707-6	-	-	
Classification:	Ox. Sol. 2;H272, Acute Tox. 4;H302, Eye Irrit. 2;H319				
PVP/VA S-630 COPOLYMER	1 - < 3	25086-89-9 -	-	-	
Classification:	Acute Tox. 4;H302				
SODIUM BENZOATE	1 - < 3	532-32-1 208-534-8	-	-	
Classification:	Acute Tox. 4;H302, Acute Tox. 4;H312, Eye Irrit. 2;H319				
SODIUM C12-18 ALKYL SULFATE	1 - < 3	68955-19-1 273-257-1	-	-	
Classification:	Flam. Sol. 1;H228, Skin Irrit. 2;H315, Eye Dam. 1;H318, STOT SE 3;H335, Aquatic Chronic 3;H412				
PEPPERMINT OIL	< 1	8006-90-4 -	-	-	
Classification:	Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Irrit. 2;H319, Aquatic Chronic 2;H411				
SUBTILISIN	< 1	9014-01-1 232-752-2	-	647-012-00-8	
Classification:	Acute Tox. 4;H302, Skin Irrit. 2;H315, Eye Dam. 1;H318, Resp. Sens. 1;H334, STOT SE 3;H335				
Other components below reportable levels	40 - < 50				

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
4.1. Description of first aid measures	
Inhalation	Move to fresh air. If breathing is difficult, trained personnel should give oxygen. Call a physician if symptoms develop or persist. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse. Get medical attention if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Ingestion	If swallowed, rinse mouth with water (only if the person is conscious). If ingestion of a large amount does occur, call a poison control centre immediately. Do not induce vomiting without advice from poison control center.
4.2. Most important symptoms and effects, both acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
4.3. Indication of any immediate medical attention and special treatment needed	No specific antidotes are recommended. Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information centre.

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Water. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	<p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use.</p>
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid contact with eyes. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
---	--

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store in original tightly closed container.

7.3. Specific end use(s)

Medical Device

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits****GSK**

Components	Type	Value	Note
CITRIC ACID ANHYDROUS (CAS 77-92-9)	8 HR TWA	5000 mcg/m3	
	OHC	1	
PVP/VA COPOLYMER (CAS 25086-89-9)	OHC	2	>100 - <=1000 mcg/m3
SODIUM BENZOATE (CAS 532-32-1)	8 HR TWA	5000 mcg/m3	
SODIUM BICARBONATE (CAS 144-55-8)	8 HR TWA	5000 mcg/m3	
	OHC	1	
Sodium carbonate (CAS 497-19-8)	8 HR TWA	5000 mcg/m3	
	OHC	1	
SUBTILISIN (CAS 9014-01-1)	OHC	5	SKIN SENSITISER
		5	RESPIRATORY SENSITISER

Ireland. Occupational Exposure Limits

Components	Type	Value
SUBTILISIN (CAS 9014-01-1)	STEL	0.00006 mg/m3
	TWA	0.00006 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines**8.2. Exposure controls****Appropriate engineering controls**

General ventilation normally adequate.

Individual protection measures, such as personal protective equipment**General information**

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Follow all local regulations if personal protective equipment (PPE) is used in the workplace.

Eye/face protection

Not normally needed. If contact is likely, safety glasses with side shields are recommended. (e.g. EN 166).

Skin protection**- Hand protection**

Not normally needed. For prolonged or repeated skin contact use suitable protective gloves. Select suitable chemical resistant protective gloves (EN 374) with a protective index 6 (>480min permeation time).

- Other

Not normally needed. Wear suitable protective clothing as protection against splashing or contamination. (EN 14605 for splashes, EN ISO 13982 for dust).

Respiratory protection

No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Where breathable aerosols/dust are formed, use suitable combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (eg. EN 14387).

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. For advice on suitable monitoring methods, seek guidance from a qualified environment, health and safety professional.
Environmental exposure controls	
Hazard guidance and control recommendations	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid.
Form	Tablet.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.

Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.

Solubility(ies)

Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

9.2. Other information	No relevant additional information available.
-------------------------------	---

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	None known. Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
----------------------------	--

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Health injuries are not known or expected under normal use. Prolonged skin contact may cause temporary irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Health injuries are not known or expected under normal use.
Symptoms	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results
CITRIC ACID ANHYDROUS (CAS 77-92-9)		
<u>Acute</u>		
Oral		
LD50	Rat	11700 mg/kg
PEPPERMINT OIL (CAS 8006-90-4)		
<u>Acute</u>		
Oral		
LD50	Rat	2426 mg/kg
POTASSIUM CAROATE (CAS 70693-62-8)		
<u>Acute</u>		
Oral		
LD50	Rat	2000 mg/kg
PVP/VA S-630 COPOLYMER (CAS 25086-89-9)		
<u>Acute</u>		
Oral		
LD50	Rat	> 630 mg/kg 5000 mg/kg
SODIUM BENZOATE (CAS 532-32-1)		
<u>Acute</u>		
Oral		
LD50	Rat	2000 mg/kg
SODIUM C12-18 ALKYL SULFATE (CAS 68955-19-1)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
Sodium carbonate (CAS 497-19-8)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
<i>Aerosol</i>		
LC50	Rat	2300 mg/m3, 2 Hours
Oral		
LD50	Rat	2800 mg/kg
SODIUM PERCARBONATE (CAS 15630-89-4)		
<u>Acute</u>		
Oral		
LD50	Rat	1034 mg/kg
SUBTILISIN (CAS 9014-01-1)		
<u>Acute</u>		
Oral		
LD50	Rat	2000 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation		Based on available data, the classification criteria are not met.
Corrosivity		
PEPPERMINT OIL		Literature search Result: Positive
PVP/VA S-630 COPOLYMER		Literature search, BASF Test Data Result: Non-irritant Species: Rabbit
SODIUM BENZOATE		OECD 404 Result: negative Species: Rabbit
Irritation Corrosion - Skin: P.I.I. value		
CITRIC ACID ANHYDROUS		OECD 404 Result: Mild to moderate irritant. Species: Rabbit
Serious eye damage/eye irritation		Causes serious eye irritation.
Eye		
SODIUM BENZOATE		Acute ocular irritation; OECD 405 Result: mild irritant Species: Rabbit
Sodium carbonate		Acute ocular irritation; OECD 405 Result: Moderate Irritant Species: Rabbit
CITRIC ACID ANHYDROUS		Acute ocular irritation; OECD 405 Result: Severe Irritant Species: Rabbit
PEPPERMINT OIL		Literature search Result: Mild/moderate Irritant
PVP/VA S-630 COPOLYMER		Literature search, BASF Test Data Result: Non-irritant Species: Rabbit
Respiratory sensitisation		Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin sensitisation		Based on available data, the classification criteria are not met.
Sensitisation		
PEPPERMINT OIL		Literature search Result: Positive
SODIUM BENZOATE		local lymph node assay Result: negative Species: Mouse
PVP/VA S-630 COPOLYMER		Maximisation assay (Magnusson and Kligman); OECD 406, BASF Test Data Result: negative Species: Guinea pig
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Based on available data, the classification criteria are not met.
Mutagenicity		
PVP/VA S-630 COPOLYMER		Ames Assay Result: negative
SODIUM BENZOATE		Ames Result: negative Chromosomal aberration assay Result: negative Species: Rat
Carcinogenicity		Based on available data, the classification criteria are not met.
PVP/VA S-630 COPOLYMER		12 month bioassay Result: negative Species: Dog
SODIUM BENZOATE		2 year bioassay Result: negative Species: Rat 2 year study, Male + Female Result: Negative - dietary Species: Rat
Reproductive toxicity		Based on available data, the classification criteria are not met. Contains no ingredient listed as toxic to reproduction
Reproductivity		
SODIUM BENZOATE		Embryofetal Development Result: negative

Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	No information available.
Other information	May cause allergic respiratory and skin reactions.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life.

Components		Species	Test Results
CITRIC ACID ANHYDROUS (CAS 77-92-9)			
Aquatic			
<i>Acute</i>			
Algae	NOEC	Green algae (Scenedesmus quadricauda)	425 mg/l, 8 days Static Test
Crustacea	EC50	Water flea (Daphnia magna)	120 mg/l, 72 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	1516 mg/l, 96 hours Static test
		Golden ide/orfe (Adult Leuciscus idus)	440 - 760 mg/l, 96 hours Static test
SODIUM BENZOATE (CAS 532-32-1)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/l, 96 hours Static test
Fish	EC50	Fathead minnow (Juvenile Pimephales promelas)	484 mg/l, 96 hours flow-through test
Sodium carbonate (CAS 497-19-8)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	> 800 mg/l
Crustacea	EC50	Water flea (Daphnia magna)	265 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	300 mg/l, 96 hours Static test
		Fathead minnow (Juvenile Pimephales promelas)	< 850 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	740 mg/l, 96 hours Static test
SUBTILISIN (CAS 9014-01-1)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Guppy (Juvenile Poecilia reticulata)	25 mg/l, 24 hours Static test
		Rainbow trout (Adult Oncorhynchus mykiss)	5 mg/l, 24 hours Static test

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability No data is available on the degradability of this product.

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

CITRIC ACID ANHYDROUS 98 %, 2 days Modified Zahn-Wellens, Activated sludge

Percent Degradation (Aerobic Biodegradation-Ready)

SODIUM BENZOATE 100 %, 28 days Modified OECD Screening Test (OECD 301E), Sea water
90 %, 7 days Modified Sturm test., Activated sludge

Biodegradability

Percent degradation (Anaerobic biodegradation)

SODIUM BENZOATE

93 %, 7 days Other degradation test system, Mixed Residential/Industrial

12.3. Bioaccumulative potential No data available for this product.

Partition coefficient

n-octanol/water (log Kow)

SODIUM BENZOATE

1.89

12.4. Mobility in soil

Adsorption

Soil/Sediment Sorption - Log Koc

SODIUM BENZOATE

1.16 Calculated

Mobility in general

Volatility

Henry's law

CITRIC ACID ANHYDROUS

< 0 atm m³/mol Calculated, 25 °C

12.5. Results of PBT and vPvB assessment Not available.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge into drains, water courses or onto the ground. Dispose in accordance with all applicable regulations.

Special precautions

Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Not available.

References

GSK Hazard Determination

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H228 Flammable solid.
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Revision information

Product and Company Identification: Synonyms
Composition / Information on Ingredients: Ingredients

Training information

Follow training instructions when handling this material.

Issued by

GSK

Disclaimer

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.